

**SOIL BORING LOG**

Boring No.: MW-108  
 Sheet: 1 of 3

Project Name: PHILLY COKE Date Started: 9/24/19 Logger: ORTOLANO  
 Project Number: \_\_\_\_\_ Date Completed: 9/24/19 Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			3'	0		0-2.6 BROWN SANDY SILT w/ F-C GRAVEL, DRY	
2				0		2.6-3 BLACK SANDY SILT w/ F-C GRAVEL DRY	
3				0		<del>TAR LIKE MATERIAL SCATTERED THROUGH</del> (C)	
4				-			
5				-			
6			4'	0		5-6 SAA	
7		MW-108(5-7) @ 1115		89.7		6-9 BLACK SANDY SILTY CLAY w/ F-C GRAVEL, MOIST PETRO OILOR	
8				120.8		TAR LIKE MATERIAL SCATTERED THROUGHOUT 6-8' DEPTH. STRONG	
9				69.9		TACKY MATERIAL, PETRO OILOR (MAYBE) PURIFER MATERIAL @ 6-10'	
10							

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: HSA  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: \_\_\_\_\_

Sampling Method: \_\_\_\_\_  
 Sampling Interval: 5'  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coor: \_\_\_\_\_  
 East Coor: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: MW-101  
Sheet: 2 of 3

Project Name: PHILLY CONC Date Started: 9/24/15 Logger: \_\_\_\_\_  
Project Number: \_\_\_\_\_ Date Completed: 9/24/15 Editor: \_\_\_\_\_  
Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1		MW-108 (10-12)	3'	0.9		10-12 SAA NET ≈ 11'	
2		① 1130		1.1			
3				3.3		12-13 DARK SANDY GRAVEL WET	
4				-			
5				-			
6			5'	0		15-16.4 SAA	
7				0		16.4-19.3 GRAY SILTY CLAY WET / MOIST	
8				0			
9				0			
10				0		19.3-20 BRONZE SANDY SILTY CLAY WET	

Drilling Co.: \_\_\_\_\_  
Driller: \_\_\_\_\_  
Drilling Method: \_\_\_\_\_  
Drilling Fluid: \_\_\_\_\_  
Remarks: PER GARY - SCREEN FROM 9-19'  
W/ A SUMP FROM 19-20'

Sampling Method: \_\_\_\_\_  
Sampling Interval: \_\_\_\_\_  
Water Level Start: \_\_\_\_\_  
Water Level Finish: \_\_\_\_\_  
Converted to Well:  Yes  No  
Surface Elev: \_\_\_\_\_  
North Coor: \_\_\_\_\_  
East Coor: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: ML-108  
 Sheet: 3 of 3

Project Name: PHILLY COKE Date Started: 9/24/19 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			0	-		GRAY - SANDY GRAVEL SLOUGH MATERIAL FROM HIBITER	
2				-		INTERVAL	
3						E.O.B. @ 22'	
4							
5							
6							
7							
8							
9							
10							

Drilling Co.: \_\_\_\_\_ Sampling Method: \_\_\_\_\_  
 Driller: \_\_\_\_\_ Sampling Interval: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_ Water Level Start: \_\_\_\_\_  
 Mudding Fluid: \_\_\_\_\_ Water Level Finish: \_\_\_\_\_  
 Remarks: \_\_\_\_\_ Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coord: \_\_\_\_\_  
 East Coord: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: NL-109  
Sheet: 1 of 2

Project Name: DIRTY CORE Date Started: 9/25/19 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			3'	1.8		0-1.5 BROWN SANDY SILT w/ F-C GRAVEL, DRY	
2				2.1		1.5-3 BLACK SAA	
3				0.9			
4				-			
5				-			
6			3'	0.1		5-7.7 <sup>BLACK</sup> SANDY CLAYEY SILT SAND-F-C GRAVEL MOIST	
7				24.1		7.7-8 BROWN SANDY SILT MOIST WOOD @ 8'	
8				11.0			
9				-			
10				-			

Drilling Co.: \_\_\_\_\_ Sampling Method: \_\_\_\_\_  
 Driller: \_\_\_\_\_ Sampling Interval: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_ Water Level Start: \_\_\_\_\_  
 Drilling Fluid: \_\_\_\_\_ Water Level Finish: \_\_\_\_\_  
 Remarks: \_\_\_\_\_ Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coor: \_\_\_\_\_  
 East Coor: \_\_\_\_\_

**SOIL BORING LOG**

Project Name: Pittley Core Date Started: 9/25/19 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			4'	0		10-13 GRAY SILTY SAND TRACE F-GRAVEL WET	
2				0			
3				0		13-14 GRAY SILTY CLAY WET	
4				0			
5				-			
6			4'	0		15-19 SAA	
7				0			
8				0			
9				0			
10							
						E.O.B @ 20'	

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: SET WALL 9-19'

Sampling Method: \_\_\_\_\_  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coord: \_\_\_\_\_  
 East Coord: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: MW-110  
Sheet: 1 of 3

Project Name: PHILLY COKE Date Started: 9/25/19 Logger: ORTOZAKS  
 Project Number: \_\_\_\_\_ Date Completed: 9/25/19 Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			3'	35.1		0-0.6 BROWN SANDY SILT w/ F-C GRAVEL, MOIST	
2				29.7		0.6 - 3 BLACK SANDY SILT w/ TRACE CLAY SOME F-C GRAVEL, NET @ 5'	
3				24.3		FLIGHT PETRO HOR	
4				-			
5				-			
6			3'	0		5-6.9 SAA	
7				0		6.9 - 8 BLACK, SANDY GRAVEL NET	
8				0			
9							
10							

Drilling Co.: ADVANCE  
 Driller: \_\_\_\_\_  
 Drilling Method: HSA  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: WILL SCREEN WELL FROM 4-14' - NO SWMP

Sampling Method: A  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev.: \_\_\_\_\_  
 North Coord.: \_\_\_\_\_  
 East Coord.: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: MW-110

Sheet: 2 of 3

Project Name: PHILLY CORE Date Started: 9/25/18 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			1.7'	0		15-15.6 SAA	
2				0		15.6-16.7 GRAY SILTY CLAY WET	
3				-			
4				-			
5				-			
6			3'	0		15-17.7 SAA	
7				0			
8				0		17.7-18 BROWN, SANDY GRAVEL w/ <del>FC</del> GRAVEL, WET	
9							
10							

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_  
 Mudding Fluid: \_\_\_\_\_  
 Remarks: \_\_\_\_\_

Sampling Method: \_\_\_\_\_  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coor: \_\_\_\_\_  
 East Coor: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: MW-110  
Sheet: 3 of 3

Project Name: PHILLY COKE Date Started: 9/25/19 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			2'	0		20-22' SAA	
2				0			
3						E.O.B @ 22'	
4							
5							
6							
7							
8							
9							
10							

Drilling Co.: \_\_\_\_\_ Sampling Method: \_\_\_\_\_  
 Driller: \_\_\_\_\_ Sampling Interval: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_ Water Level Start: \_\_\_\_\_  
 Mudding Fluid: \_\_\_\_\_ Water Level Finish: \_\_\_\_\_  
 Remarks: \_\_\_\_\_ Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coord: \_\_\_\_\_  
 East Coord: \_\_\_\_\_



**SOIL BORING LOG**

Boring No.: MW-111

Sheet: 1 of 3

Project Name: PHILLY COKE Date Started: 9/23/19 Logger: URTUANO  
 Project Number: \_\_\_\_\_ Date Completed: 9/23/19 Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			3'	0.4		0-3 BROWN/GRAY SANDY SILT w/ F-C GRAVEL, BRICK DEBRIS	
2				9.9		DRY FEW PIECES OF COAL @ 1-5'	
3				5.7			
4				-			
5				-			
6			3'	2.8		5-6 SAA	
7				1.6		6-6.4 BLACK SANDY SILT w/ F-C GRAVEL, BRICK DEBRIS MOIST	
8				1.1		6.4-6.10 CONCRETE, ROCK	
9						6-10-8 BLACK SANDY SILT w/ F-C GRAVEL, MOIST CAMEL	
10							

Drilling Co.: ADVANCED  
 Driller: \_\_\_\_\_  
 Drilling Method: HSA - GEOPROBE 7822DT  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: PER CONVERSATION W/ CAREY HEALY  
DRILLING WELL TO 20' PGS SUMP  
FROM 19-20' SCREENED FROM 9-19'

Sampling Method: SPLIT SPOON MACRO  
 Sampling Interval: 2' 5'  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coord: \_\_\_\_\_  
 East Coord: \_\_\_\_\_

## SOIL BORING LOG

Boring No.: MW-111

Sheet: 2 of 3

Project Name: \_\_\_\_\_ Date Started: \_\_\_\_\_ Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			4'	1.9		10-12.5 BLACK CLAYEY SANDY SILT SOME F-C GRAVEL MOIST	
2		MW-111(11-13) @ 0845		63.7		SCREEN @ 12.2 SOILS APPEAR TO BE LIGHTLY "COATED" 12.2 - 12.4 NORTH SIDE	
3				183.8		12.5-15 GRAY SANDY SILTY CLAY MOIST	
4		MW-111(13-15) @ 0855		19.3			
5				-			
6			4'	5.8		15-19 SAA WET @ 15.8	
7				5.9			
8				2.9			
9				3.1			
10				-			

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: \_\_\_\_\_

Sampling Method: \_\_\_\_\_  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coord: \_\_\_\_\_  
 East Coord: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: MW-111  
Sheet: 3 of 3

Project Name: \_\_\_\_\_ Date Started: \_\_\_\_\_ Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			2'	0		20-22 S&A Gray SILTY CLAY Moist	
2				0			
3						E.O.B @ 22'	
4							
5							
6							
7							
8							
9							
10							

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_  
 Flushing Fluid: \_\_\_\_\_  
 Remarks: \_\_\_\_\_

Sampling Method: \_\_\_\_\_  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coord: \_\_\_\_\_  
 East Coord: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: MW-112

Sheet: 1 of 3

Project Name: PHILLY CUSE Date Started: 9/24/19 Logger: CR7000  
 Project Number: \_\_\_\_\_ Date Completed: 9/24/19 Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			3'	0		0-1.6 BROWN SANDY SILT w/ F-C GRAVEL, MOIST	
2				0		1.6-2.6 BLACK/GRAY SILTY SANDS w/ F-C GRAVEL MOIST	
3				15		2.6-3.0 BLACK/GRAY SANDY SILTY CLAY MOIST	
4				-			
5				-			
6			4'	0		5-6.4 SAA WET	
7				0		6.4-9 GRAY SILTY SANDS WET	
8				0			
9				0			
10				-			

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: SCREEN WELL FROM 4-14'

Sampling Method: \_\_\_\_\_  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coord: \_\_\_\_\_  
 East Coord: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: MW-112  
Sheet: 2 of 3

Project Name: PHILLY COLE Date Started: 9/24/19 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			5'	0		10-12.8 SAA	
2				0		12.8-15 GRAY SILTY CLAY NET	
3				0			
4				0			
5				0			
6			1.9'	0		15-16.6 SAA	
7				0		16.6-16.9 BROWN SILTY SAND w/ F-C GRAVEL NET	
8				-			
9				-			
10				-			

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: \_\_\_\_\_

Sampling Method: \_\_\_\_\_  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coor: \_\_\_\_\_  
 East Coor: \_\_\_\_\_

**SOIL BORING LOG**

Boring No.: MM-112

Sheet: 3 of 3

Project Name: PHILLY CRIC Date Started: 7/24/19 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: \_\_\_\_\_ Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			2'	0		20-22 SAA	
2				0			
3						E.O.B @ 22'	
4							
5							
6							
7							
8							
9							
10							

Drilling Co.: \_\_\_\_\_ Sampling Method: \_\_\_\_\_  
 Driller: \_\_\_\_\_ Sampling Interval: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_ Water Level Start: \_\_\_\_\_  
 Mudding Fluid: \_\_\_\_\_ Water Level Finish: \_\_\_\_\_  
 Remarks: \_\_\_\_\_ Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coord: \_\_\_\_\_  
 East Coord: \_\_\_\_\_

**SOIL BORING LOG**

Project Name: TRILLY COKE Date Started: 9/23/19 Logger: DETOLESO  
 Project Number: \_\_\_\_\_ Date Completed: 5/23/19 Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			3-6'	0		0-2 BROWN SANDY SILT w/ F-C GRAVEL PRY, BRICK DEBRIS THROUGHOUT	
2				0		2-3.6 SAA GRAY	
3				0.6			
4				-			
5				-			
6			4'	0		5-6 SAA	
7				0		6-8 GRAY CLAYEY SANDY SILT w/ F-C GRAVEL, BRICK DEBRIS MOIST	
8				0			
9				0		8-9 BLACK SILTY SANDY GRAVEL, WET	
10				-			

Drilling Co.: \_\_\_\_\_ Sampling Method: \_\_\_\_\_  
 Driller: \_\_\_\_\_ Sampling Interval: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_ Water Level Start: \_\_\_\_\_  
 Mudding Fluid: \_\_\_\_\_ Water Level Finish: \_\_\_\_\_  
 Remarks: SPACE W/ COREY - SET WELL Converted to Well:  Yes  No  
7-17' BBS - NO SWAMP NEEDLES Surface Elev: \_\_\_\_\_  
 North Coor: \_\_\_\_\_  
 East Coor: \_\_\_\_\_

**SOIL BORING LOG**

Project Name: DHILLY COKE Date Started: 9/23/19 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: 7/23/19 Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			3.10"	0.0		10-11 SAA	
2				5.7		11-13.10 GRAY / BLACK SILTY CLAY, TRACE F-GRAVEL, MOIST / WET	
3				7.1			
4				-			
5				-			
6			5'	0		15-17.8 GRAY / BLACK <del>CLAY</del> SANDY CLAY, TRACE F-GRAVEL, WET	
7				0			
8				0		17.8 - 20 GRAY / BLACK SILTY CLAY, MOIST	
9				0			
10				0			

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: \_\_\_\_\_

Sampling Method: \_\_\_\_\_  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coor: \_\_\_\_\_  
 East Coor: \_\_\_\_\_



**SOIL BORING LOG**

Boring No.: MW-113

Sheet: 3 of 3

Project Name: PHILLY CORE Date Started: 9/23/19 Logger: \_\_\_\_\_  
 Project Number: \_\_\_\_\_ Date Completed: 9/23/19 Editor: \_\_\_\_\_  
 Project Location: \_\_\_\_\_ Weather Conditions: \_\_\_\_\_

Depth (feet)	Blow Counts	Sample ID & Time	Recovery (in.)	PID (ppm)	USCS Class.	Description	Construction Details
1			2'	0		20-22 SAA	
2				0			
3						E.O.B @ 22'	
4							
5							
6							
7							
8							
9							
10							

Drilling Co.: \_\_\_\_\_  
 Driller: \_\_\_\_\_  
 Drilling Method: \_\_\_\_\_  
 Drilling Fluid: \_\_\_\_\_  
 Remarks: \_\_\_\_\_

Sampling Method: \_\_\_\_\_  
 Sampling Interval: \_\_\_\_\_  
 Water Level Start: \_\_\_\_\_  
 Water Level Finish: \_\_\_\_\_  
 Converted to Well:  Yes  No  
 Surface Elev: \_\_\_\_\_  
 North Coor: \_\_\_\_\_  
 East Coor: \_\_\_\_\_