

Brussel, John

From: Brussel, John
Sent: Thursday, June 23, 2022 9:55 AM
To: Brown, C David
Cc: Patel, Ragesh; Bass, Charline; Pantelidou, Sarah; Stearns, Brian M.; Guerin, Michael; Jim Marshall; Sheehan, Daniel P.; Lesley, Matthew; Healy, Lawrence
Subject: RE: [External] Response to PADEP Act 2 Administrative Deficiency Letter, Philadelphia Coke, Philadelphia (PF ID 831308)
Attachments: 2022.0623-Philly Coke-Philadelphia DPH HHRA Receipt Confirmation.pdf; Re: HHRA Receipt Confirmation Requested from Philadelphia DPH - Philadelphia Coke Site, Philadelphia, PA (PF ID 831308)

David,

Please find the attached acknowledgement from Leigh-Anne Rainford of the Philadelphia Department of Public Health that she received the Risk Assessment Report for the above-referenced site (same content in PDF and Outlook attachments).

Let us know if you need anything else to close the loop on the completeness review or have any questions once PADEP review of the documents is underway.

Thank you.

John

From: Brown, C David cdbrown@pa.gov
Sent: Thursday, June 16, 2022 10:52 AM
To: Brussel, John <John.Brussel@arcadis.com>
Cc: Patel, Ragesh <rapatel@pa.gov>; Bass, Charline <cbass@pa.gov>; Pantelidou, Sarah <spantelido@pa.gov>; Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; Guerin, Michael <Michael.Guerin@nationalgrid.com>; Jim Marshall <jmarshall@bridgeindustrial.com>; Sheehan, Daniel P. <Daniel.Sheehan@arcadis.com>; Lesley, Matthew <Matt.Lesley@arcadis.com>; Healy, Lawrence <Lawrence.Healy@arcadis.com>
Subject: RE: [External] Response to PADEP Act 2 Administrative Deficiency Letter, Philadelphia Coke, Philadelphia (PF ID 831308)

John,

Both of your emails to the city Health Department dated 5/25/2022 and 6/9/2022 (your Attachment 2) do not state that you submitted a risk assessment report for review. It should have been very clear from DEP's 6/9/2022 deficiency letter that your notifications must be inclusive of all submitted reports. Documentation of complete notifications to both the public and municipality have always been required by Act 2.

You still have until 6/24/2022 to resolve the administrative deficiencies.

C. David Brown P.G. | Professional Geologist Manager
Environmental Cleanup & Brownfields Program
Department of Environmental Protection | Southeast Regional Office
2 East Main Street | Norristown, PA 19401

Phone: 484.250.5792 | Fax: 484.250.5961
www.dep.pa.gov

From: Brussel, John <John.Brussel@arcadis.com>

Sent: Wednesday, June 15, 2022 3:41 PM

To: Pantelidou, Sarah <spantelido@pa.gov>

Cc: Patel, Ragesh <rapatel@pa.gov>; Brown, C David <cdbrown@pa.gov>; Bass, Charline <cbass@pa.gov>; Bilash, Kevin <bilash.kevin@epa.gov>; LeighAnne.Rainford@Phila.gov; Cheryl Bettigole <Cheryl.Bettigole@phila.gov>; Palak.Raval-Nelson <Palak.Raval-Nelson@phila.gov>; Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; Guerin, Michael <Michael.Guerin@nationalgrid.com>; Jim Marshall <jmarshall@bridgeindustrial.com>; Sheehan, Daniel P. <Daniel.Sheehan@arcadis.com>; Lesley, Matthew <Matt.Lesley@arcadis.com>; Healy, Lawrence <Lawrence.Healy@arcadis.com>

Subject: [External] Response to PADEP Act 2 Administrative Deficiency Letter, Philadelphia Coke, Philadelphia (PF ID 831308)

ATTENTION: This email message is from an external sender. Do not open links or attachments from unknown sources. To report suspicious email, forward the message as an attachment to CWOPA_SPAM@pa.gov.

Sarah,

On behalf of Philadelphia Coke Co., Inc., National Grid, and BP Bridesburg, please find the attached letter providing the items identified in PADEP's 6/9/22 Completeness Review letter sent to National Grid for the above-referenced site.

Feel free to call Dan Sheehan of Arcadis at 302.884.6919 or me at 315.671.9441 with any questions.

Thank you.

John

John C. Brussel P.E.

Principal Engineer/Certified Project Manager

Arcadis of New York, Inc.

One Lincoln Center, 110 West Fayette Street, Suite 300 | Syracuse, NY | 13202 | USA

T +1 315 671 9441 | M +1 315 317 8104

www.arcadis.com



Professional Registration / PE-NY, #075208

From: Patel, Ragesh <rapatel@pa.gov>

Sent: Thursday, June 9, 2022 12:08 PM

To: Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; jmarshall@bridgeindustrial.com; daniel.sheehan@arcadis.com

Cc: Brown, C David <cdbrown@pa.gov>; Pantelidou, Sarah <spantelido@pa.gov>; Bass, Charline <cbass@pa.gov>

Subject: [EXTERNAL] Act 2 administrative deficiency letter, Philadelphia Coke, Philadelphia (PF ID 831308)

CAUTION: This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe. If you suspect this email is malicious, please use the 'Report Phish' button.

Mr. Stearns,

Attached is a completeness review letter for the indicated Act 2 site. DEP is sending this letter electronically and we will not be sending a separate hardcopy letter. DEP requests that you respond to this letter no later than **6/24/2022**.

Ragesh

Ragesh R Patel (he/him/his) | Environmental Program Manager
Department of Environmental Protection | Southeast Regional Office
2 E. Main Street | Norristown, PA 19401
Phone: 484.250.5716 | Fax: 484.250.5961
www.dep.pa.gov

For more information on COVID-19 please visit the PA Department of Health page at <https://www.health.pa.gov/topics/disease/pages/coronavirus.aspx>

For more information on the Southeast Regional Office, please visit www.dep.pa.gov/southeast

PRIVILEGED AND CONFIDENTIAL COMMUNICATION

The information transmitted is intended only for the person or entity to whom it is addressed and may contain confidential and/or privileged material. Any use of this information other than by the intended recipient is prohibited. If you receive this message in error, please send a reply e-mail to the sender and delete the material from any and all computers. Unintended transmissions shall not constitute waiver of the attorney-client or any other privilege.

This e-mail, and any attachments are strictly confidential and intended for the addressee(s) only. The content may also contain legal, professional or other privileged information. If you are not the intended recipient, please notify the sender immediately and then delete the e-mail and any attachments. You should not disclose, copy or take any action in reliance on this transmission.

You may report the matter by contacting us via our [UK Contacts Page](#) or our [US Contacts Page](#) (accessed by clicking on the appropriate link)

Please ensure you have adequate virus protection before you open or detach any documents from this transmission. National Grid plc and its affiliates do not accept any liability for viruses. An e-mail reply to this address may be subject to monitoring for operational reasons or lawful business practices.

For the registered information on the UK operating companies within the National Grid group please use the attached link: <https://www.nationalgrid.com/group/about-us/corporate-registrations>

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

Brussel, John

From: Leigh-Anne Rainford <LeighAnne.Rainford@phila.gov>
Sent: Thursday, June 23, 2022 9:24 AM
To: Brussel, John
Cc: Cheryl Bettigole; Palak Raval-Nelson; Stearns, Brian M.; Sheehan, Daniel P.; Healy, Lawrence; Jim Marshall
Subject: Re: HHRA Receipt Confirmation Requested from Philadelphia DPH - Philadelphia Coke Site, Philadelphia, PA (PF ID 831308)

John,

I confirm the [Remedial Investigation Report/Cleanup Plan \(RI/CP\)-Revision 1 \(May 2022\)](#) provides the Human Health Risk Assessment (HHRA) Report in Appendix P.

Please let me know if anything else is needed to close the loop.

Best regards,

Leigh Anne Rainford, MPH
Program Administrator of Food Protection and Environmental Engineering
Environmental Health Services | Philadelphia Department of Public Health
321 University Avenue – 2nd Floor | Philadelphia, PA 19104
Phone: (215) 685 – 7497 | Fax: (215) 382 – 1210
LeighAnne.Rainford@Phila.gov



From: Brussel, John <John.Brussel@arcadis.com>
Sent: Thursday, June 23, 2022 8:29 AM
To: Leigh-Anne Rainford <LeighAnne.Rainford@phila.gov>
Cc: Cheryl Bettigole <Cheryl.Bettigole@Phila.gov>; Palak Raval-Nelson <Palak.Raval-Nelson@phila.gov>; Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; Sheehan, Daniel P. <Daniel.Sheehan@arcadis.com>; Healy, Lawrence <Lawrence.Healy@arcadis.com>; Jim Marshall <jmarshall@bridgeindustrial.com>
Subject: RE: HHRA Receipt Confirmation Requested from Philadelphia DPH - Philadelphia Coke Site, Philadelphia, PA (PF ID 831308)

External Email Notice. This email comes from outside of City government. Do not click on links or open attachments unless you recognize the sender.

Leigh-Anne,

Thank you for your e-mail response below. Sorry to ask for one more thing... it would be helpful if you could also reply to confirm your understanding that Appendix P of the RI/CP contains a Human Health Risk Assessment (HHRA).

The reply will help close the loop in PADEP's completeness check (they issued a deficiency for not specifically identifying the HHRA as an additional document) and start their review of the RI/CP and HHRA.

Let us know of any questions on the HHRA or any other part of the RI/CP.

Thanks again.

John

From: Leigh-Anne Rainford <LeighAnne.Rainford@phila.gov>
Sent: Thursday, June 23, 2022 7:37 AM
To: Brussel, John <John.Brussel@arcadis.com>
Cc: Cheryl Bettigole <Cheryl.Bettigole@Phila.gov>; Palak Raval-Nelson <Palak.Raval-Nelson@phila.gov>; Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; Sheehan, Daniel P. <Daniel.Sheehan@arcadis.com>; Healy, Lawrence <Lawrence.Healy@arcadis.com>
Subject: Re: HHRA Receipt Confirmation Requested from Philadelphia DPH - Philadelphia Coke Site, Philadelphia, PA (PF ID 831308)

Good morning.

Our office received the Remedial Investigation Report and Cleanup Plan (RI/CP) Revision 1 for the former Philadelphia Coke Plant located at 4501 Richmond Street and confirmed receipt of June 10, 2022.

The following items are also provided with the RI/CP submission:

- PADEP Transmittal Sheet for Plan/Report (Transmittal Sheet) submission and \$750 check payable to the Commonwealth of Pennsylvania (\$250 for the RI Report, \$250 for the Cleanup Plan, and \$250 for a Human Health Risk Assessment).
- RI/CP newspaper notice published in the Philadelphia Daily News and Northeast Times, and proof of publication in both newspapers.
- Overview of RI/CP Revisions, highlighting the changes made to the July 30, 2021 RI/CP.

Additionally, here is a timeline of what was received for this site:

Philadelphia Coke Plant	12/24/2018	Receipt of NIR
Philadelphia Coke Plant	2/5/2019	NIR received from PADEP after requesting
Philadelphia Coke Plant	2/6/2019	PIP Requested (PDPH)
Former Philadelphia Coke Co. Facility	4/26/2019	Letter regarding PIP (Arcadis)
Former Philadelphia Coke Co. Facility	6/14/2021	PIP (Arcadis)
Former Philadelphia Coke Co. Facility	7/8/2021	Plan for Near-Term Public Outreach (Arcadis)
Former Philadelphia Coke Co. Facility	7/12/2021	Fact Sheet Re: Remedial Investigation Report / Cleanup Plan and Public Meeting Announced (Arcadis)
Former Philadelphia Coke Co. Facility	8/27/2021	Receipt of Remedial Investigation Report / Cleanup Plan
Former Philadelphia Coke Co. Facility	10/13/2021	Response to Public Comments on Remedial Investigation Report and Cleanup Plan (Arcadis)
Former Philadelphia Coke Co. Facility	10/25/2021	Letter of Technical Deficiency
Former Philadelphia Coke Co. Facility	1/7/2022	Remedial Investigation Report and Cleanup Plan Comment / Response Addendum (Arcadis)
Former Philadelphia Coke Co. Facility	1/14/2022	Disapproval of Remedial Investigation Report and Cleanup Plan Report
Former Philadelphia Coke Co. Facility	5/24/2022	Remedial Investigation Report and Cleanup Plan Revision I (Arcadis)

I hope this information is helpful. Please let me know if anything else is needed.

Best regards,

Leigh Anne Rainford, MPH
 Program Administrator of Food Protection and Environmental Engineering
 Environmental Health Services | Philadelphia Department of Public Health
 321 University Avenue – 2nd Floor | Philadelphia, PA 19104
 Phone: (215) 685 – 7497 | Fax: (215) 382 – 1210
LeighAnne.Rainford@Phila.gov



From: Brussel, John <John.Brussel@arcadis.com>
Sent: Thursday, June 16, 2022 12:07 PM
To: Leigh-Anne Rainford <LeighAnne.Rainford@phila.gov>
Cc: Cheryl Bettigole <Cheryl.Bettigole@Phila.gov>; Palak Raval-Nelson <Palak.Raval-Nelson@phila.gov>; Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; Sheehan, Daniel P. <Daniel.Sheehan@arcadis.com>; Healy, Lawrence <Lawrence.Healy@arcadis.com>
Subject: HHRA Receipt Confirmation Requested from Philadelphia DPH - Philadelphia Coke Site, Philadelphia, PA (PF ID 831308)

External Email Notice. This email comes from outside of City government. Do not click on links or open attachments unless you recognize the sender.

Leigh-Anne,

As a follow-up to the voice-mail message that I left on your office phone a few minutes ago and in response to the e-mail below from PADEP, this e-mail is being sent to specifically notify the Philadelphia Department of Public Health of the availability of the Human Health Risk Assessment Report (HHRA) for the railroad right-of-way (ROW) at the Philadelphia Coke site. The HHRA was prepared because the ROW will be unimproved as part of the site cleanup and redevelopment. The HHRA concludes that there are no unacceptable exposure risks to potential receptors from constituents in soil within the ROW.

An overview of the HHRA is provided in Section 9.6.1.4 of the Remedial Investigation Report and Cleanup Plan (RI/CP), which was provided to you electronically on 5/25/22. The full HHRA is included as Appendix P to the RI/CP. Thank you for your 6/10/22 e-mail acknowledgement that you received the RI/CP and do not need a hard copy.

We'd appreciate an e-mail response from you acknowledging that the health department is aware of the HHRA provided with the RI/CP submittal.

Feel free to call Dan Sheehan of Arcadis at 302.884.6919 or me at 315.671.9441 if you have any questions about the HHRA or RI/CP.

Thank you.

John

From: Brown, C David <cdbrown@pa.gov>
Sent: Thursday, June 16, 2022 10:52 AM
To: Brussel, John <John.Brussel@arcadis.com>
Cc: Patel, Ragesh <rapatel@pa.gov>; Bass, Charline <cbass@pa.gov>; Pantelidou, Sarah <spantelido@pa.gov>; Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; Guerin, Michael <Michael.Guerin@nationalgrid.com>; Jim Marshall <jmarshall@bridgeindustrial.com>; Sheehan, Daniel P. <Daniel.Sheehan@arcadis.com>; Lesley, Matthew <Matt.Lesley@arcadis.com>; Healy, Lawrence <Lawrence.Healy@arcadis.com>
Subject: RE: [External] Response to PADEP Act 2 Administrative Deficiency Letter, Philadelphia Coke, Philadelphia (PF ID 831308)

John,

Both of your emails to the city Health Department dated 5/25/2022 and 6/9/2022 (your Attachment 2) do not state that you submitted a risk assessment report for review. It should have been very clear from DEP's 6/9/2022 deficiency letter that your notifications must be

inclusive of all submitted reports. Documentation of complete notifications to both the public and municipality have always been required by Act 2.

You still have until 6/24/2022 to resolve the administrative deficiencies.

C. David Brown P.G. | Professional Geologist Manager
Environmental Cleanup & Brownfields Program
Department of Environmental Protection | Southeast Regional Office
2 East Main Street | Norristown, PA 19401
Phone: 484.250.5792 | Fax: 484.250.5961
www.dep.pa.gov

From: Brussel, John <John.Brussel@arcadis.com>

Sent: Wednesday, June 15, 2022 3:41 PM

To: Pantelidou, Sarah <spantelido@pa.gov>

Cc: Patel, Ragesh <rapatel@pa.gov>; Brown, C David <cdbrown@pa.gov>; Bass, Charline <cbass@pa.gov>; Bilash, Kevin <bilash.kevin@epa.gov>; LeighAnne.Rainford@Phila.gov; Cheryl Bettigole <Cheryl.Bettigole@phila.gov>; Palak.Raval-Nelson <Palak.Raval-Nelson@phila.gov>; Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; Guerin, Michael <Michael.Guerin@nationalgrid.com>; Jim Marshall <jmarshall@bridgeindustrial.com>; Sheehan, Daniel P. <Daniel.Sheehan@arcadis.com>; Lesley, Matthew <Matt.Lesley@arcadis.com>; Healy, Lawrence <Lawrence.Healy@arcadis.com>

Subject: [External] Response to PADEP Act 2 Administrative Deficiency Letter, Philadelphia Coke, Philadelphia (PF ID 831308)

ATTENTION: This email message is from an external sender. Do not open links or attachments from unknown sources. To report suspicious email, forward the message as an attachment to CWOPA_SPAM@pa.gov.

Sarah,

On behalf of Philadelphia Coke Co., Inc., National Grid, and BP Bridesburg, please find the attached letter providing the items identified in PADEP's 6/9/22 Completeness Review letter sent to National Grid for the above-referenced site.

Feel free to call Dan Sheehan of Arcadis at 302.884.6919 or me at 315.671.9441 with any questions.

Thank you.

John

John C. Brussel P.E.

Principal Engineer/Certified Project Manager

Arcadis of New York, Inc.

One Lincoln Center, 110 West Fayette Street, Suite 300 | Syracuse, NY | 13202 | USA

T +1 315 671 9441 | M +1 315 317 8104

www.arcadis.com



Professional Registration / PE-NY, #075208

From: Patel, Ragesh <rapatel@pa.gov>

Sent: Thursday, June 9, 2022 12:08 PM

To: Stearns, Brian M. <Brian.Stearns@nationalgrid.com>; jmarshall@bridgeindustrial.com; daniel.sheehan@arcadis.com

Cc: Brown, C David <cdbrown@pa.gov>; Pantelidou, Sarah <spantelido@pa.gov>; Bass, Charline <cbass@pa.gov>

Subject: [EXTERNAL] Act 2 administrative deficiency letter, Philadelphia Coke, Philadelphia (PF ID 831308)

CAUTION: This email originated from outside of the organisation. Do not click links or open attachments unless you recognise the sender and know the content is safe. If you suspect this email is malicious, please use the 'Report Phish' button.

Mr. Stearns,

Attached is a completeness review letter for the indicated Act 2 site. DEP is sending this letter electronically and we will not be sending a separate hardcopy letter. DEP requests that you respond to this letter no later than **6/24/2022**.

Ragesh

Ragesh R Patel (he/him/his) | Environmental Program Manager
Department of Environmental Protection | Southeast Regional Office
2 E. Main Street | Norristown, PA 19401
Phone: 484.250.5716 | Fax: 484.250.5961
www.dep.pa.gov

For more information on COVID-19 please visit the PA Department of Health page at <https://www.health.pa.gov/topics/disease/pages/coronavirus.aspx>

For more information on the Southeast Regional Office, please visit www.dep.pa.gov/southeast

PRIVILEGED AND CONFIDENTIAL COMMUNICATION

The information transmitted is intended only for the person or entity to whom it is addressed and may contain confidential and/or privileged material. Any use of this information other than by the intended recipient is prohibited. If you receive this message in error, please send a reply e-mail to the sender and delete the material from any and all computers. Unintended transmissions shall not constitute waiver of the attorney-client or any other privilege.

This e-mail, and any attachments are strictly confidential and intended for the addressee(s) only. The content may also contain legal, professional or other privileged information. If you are not the intended recipient, please notify the sender immediately and then delete the e-mail and any attachments. You should not disclose, copy or take any action in reliance on this transmission.

You may report the matter by contacting us via our [UK Contacts Page](#) or our [US Contacts Page](#) (accessed by clicking on the appropriate link)

Please ensure you have adequate virus protection before you open or detach any documents from this transmission. National Grid plc and its affiliates do not accept any liability for viruses. An e-mail reply to this address may be subject to monitoring for operational reasons or lawful business practices.

For the registered information on the UK operating companies within the National Grid group please use the attached link: <https://www.nationalgrid.com/group/about-us/corporate-registrations>

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any

attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.